

## **Selected references on measles virus genotypes and sequencing, 1991-2003**

### *Publications 2003 (including in press and submitted manuscripts)*

Chibo, D., Riddell, M., Catton, M., Lyon, M., Lum, G., and Birch, C. Studies of measles viruses circulating in Australia between 1999 and 2001 reveals a new genotype. *Virus Res.* 2003, in press.

Tipples, G.A., Gray, M., Garbutt, M., and Rota, P.A. Genotyping of measles virus in Canada: 1979-2000. *J. Infect. Dis.* 2002 (submitted).

### *Publications 2002*

Alla, A., Liffick S.L., Newton, B.N., Elaouad, R., Rota, P.A., and Bellini, W.J. Genetic analysis of measles viruses isolated in Morocco. *J. Med. Virol.* 2002;68:441-444.

Chibo, D., Riddell, M., Catton, M., and Birch, C. Novel measles virus genotype, East Timor and Australia. *Emerg. Inf. Dis.* 2002;8:735-37.

Christensen, LS, Scholler S, Schierup MH, et al. Sequence analysis of measles virus strains collected during the pre- and early-vaccination era in Denmark reveals a considerable diversity of ancient strains. *APMIS* 2002;110(2):113-22.

Coughlan, S., Connell, J., Cohen B. et al. Suboptimal measles-mumps-rubella vaccination coverage facilitates an imported measles outbreak in Ireland. *Clin. Inf. Dis.* 2002;35:84-6.

El Mubarak, H.S., vande Bildt, M.W.G., Mustafa, O.A., et al. Genetic characterization of wild-type measles viruses circulating in suburban Khartoum, 1997-2000. *J. Gen Virol.* 2002;83:1437-1443.

Jin, L., Beard, S., Hunjan R., Brown, D., and Miller, E. Characterization of measles virus strains causing SSPE: A study of 11 cases. *J. Neurovirol.* 2002; 8(4):335-344.

Kouomou, D.W., Nerrienet, E., Mfoupouendoun, J., Tene, G., Whittle, H., and Wild, T.F. Measles virus strains circulating in central and West Africa: Geographical distribution of two B3 genotypes. *Jrl. Med. Virol.*.. 2002;68:433-440.

Oliveira, M.I., Rota, P.A., Curti, S.P., Figueiredo, C.A., Afonso, A.M.S., et al. Genetic homogeneity of measles viruses associated with a measles outbreak, São Paulo, Brazil, 1997. *Emerg. Inf. Dis.* 2002;8(8):808-813.

Rota, P.A., Liffick, S.L., Rota, J.S., Katz, R.S., Redd, S., Papania, M., and Bellini, W.J. Molecular epidemiology of measles viruses in the United States, 1997-2001. *Emerg. Inf. Dis.* 2002;8(9):902-908.

### *Publications 2001*

Liffick, S, Thoung, N, Xu, W. et al. Genetic characterization of contemporary wild-type viruses from Vietnam and China: identification of two genotypes within clade H. *Virus Res.* 2001;77:81-7.

Na, B-K., Lee, J-S., Shin G-C., et al. Sequence analysis of hemagglutinin and nucleoprotein genes of measles viruses isolated in Korea during the 2000 epidemic. *Virus Res.* 2001;81:143-149.

Nigatu, W., Jin, L., Cohen, B.J., Nokes, D.J., Etana, M., Cutts, F.T. and Brown, D.W.G. Measles virus circulating in Ethiopia during 1998-1999: identification of a new genotype *J. Med. Virol.* 2001;65:373-380.

Siqueira, M.M., Castro-Silav, R., Cruz, C., Oliveira, I.C., Cunha, G.M.C., Mello, M., Rota, P.A., Bellini, W.J., and Friedrich, F. Genomic characterization of wild-type measles viruses that circulated in different states in Brazil during the 1997 measles epidemic. *J. Med. Virol.* 2001;63:299-304.

Truong, T.A., Mulders, M.N., Gautam, D.C., Ammerlaan, W., De Swart, R., Chwan-Chuen, K., Osterhaus, A.D.M.E., and Muller, C.P. Genetic analysis of Asian measles virus strains-new endemic genotype in Nepal. *Virus Res.* 2001;76:71-78.

WHO. Nomenclature for describing the genetic characteristics of wild-type measles viruses (update)- part II. *Wkly. Epidemiol. Rec.* 2001;76:249-251.

WHO. Nomenclature for describing the genetic characteristics of wild-type measles viruses (update)-part I. *Wkly. Epidemiol. Rec.* 2001;76:242-247.

### *Publications 2000*

Barrero, P.R., de Wolff, C.D., Passeggi, C.A., and Mischenko, A.S. Sequence analysis of measles virus hemagglutinin isolated in Argentina during the 1997-1998 outbreak. *J. Med. Virol.* 2000; 60:91-96.

Baumeister, E, Siqueira, M.M., Savy, V., and Friedrich, F. Genetic characterization of wild-type measles viruses isolated during the 1998 measles epidemic in Argentina. *Acta Virologica* 2000;44:169-174.

Canepa, E., Siqueira, M.M., Hortal, M., and Friedrich, F. Recent measles viral activity in Uruguay: serological and genetic approaches. *Acta Virol.* 2000;44:35-39.

Chibo, D., Birch, C.J., Rota, P.A., and Catton, M.G. Molecular characterization of measles viruses isolated in Victoria, Australia, between 1973 and 1998. *J. Gen. Virol.* 2000;81:2511-2518.

de Swart, R.L., Wertheim-van Dillen P.M., van Binnendijk, R.S., Muller, C.P., Frenkel, J., and Osterhaus, A.D. Measles in a Dutch hospital introduced by an immunocompromised infant from Indonesia with a new virus genotype. Lancet 2000;355:201-202.

Hanses F., van Binnendijk, R., Ammerlaan, W., Truong, A.T., de Rond L., Schneider, F., and Muller, C.P. Genetic variability of measles viruses circulating in the Benelux. Arch. Virol. 2000;145:541-551.

Rota, P.A., Liffick, S., Rosenthal, S., Heriyanto, B., and Chua, K.B. Measles genotype G2 in Indonesia and Malaysia. (Letter) Lancet 2000;355:1557-1560.

Rota, J.S., Bellini, W.J., and Rota, P.A. Measles. In: Thompson, R.C.A. (Ed.). Molecular Epidemiology of Infectious Diseases. London: Arnold Publishers; 2000; 168-180.

Takahashi, M., Nakayama, T., Kashigawi, Y., Takami, T., Sonoda, S., Yamanaka, T., Ochiai, H., Ihara, T., and Tajima, T. Single genotype of measles virus is dominant whereas several genotypes of mumps virus are co-circulating. J. Med. Virol. 2000;62:278-285.

#### *Publications 1999*

Hanses, F., Truong, A.T., Ammerlaan, W., Ikusika, O., Adu, F., Oyefolu, A.O., Omilabu, S.A., and Muller, C.P. Molecular epidemiology of Nigerian and Ghanaian measles virus isolates reveals a genotype circulating widely in western and central Africa. J. Gen. Virol 1999;80:871-877.

Santibanez, S., Heider, A., Gerike, E., Agafonov, A., and Schreier, E. Genotyping of measles virus isolates from central Europe and Russia. J. Med. Virol. 1999;58:313-320.

Truong, A.T., Ammerlaan, W., Hartter, H.K., Adu, F., Omilabu, S.A., Ovefolu, A.O., Berbers, G.A., and Muller, C.P. Genotypic and antigenic characterization of hemagglutinin proteins of African measles virus isolates. Virus Res. 1999;62:89-95.

#### *Publications 1998*

Ayata, M., Kimoto, T., Hayashi, K., Toshiyuki, S., Murata, R., and Ogura, H. Nucleotide sequences of the matrix protein gene of subacute sclerosing panencephalitis viruses compared with local contemporary isolates from patients with acute measles. Virus Res. 1998;54:107-115.

Bellini, W.J., and Rota, P.A. Genetic diversity of wild-type measles viruses: Implications for global measles elimination programs. Emerg. Infect. Dis. 1998;4:29-35.

Giraudon, P., Jacquier, M.F., and Wild, T.F. Antigenic analysis of African measles virus field isolates: identification and localisation of one conserved and two variable epitope sites on the NP protein. Virus Res. 1998;18:137-152.

Jin, L., Knowles, W.A., Rota, P.A., Bellini, W.J. and Brown, D.W.G. Genetic and antigenic characterisation of the haemagglutinin protein of measles virus strains recently circulating in the

UK. Virus Res. 1998;55:107-113.

Jin, L., Sun, U.J., Ge, L., and Brown, D.W.G. Characterization of a new genotype of measles virus detected in China and England. Epidemiol. Infect. 1998;121: 691-697.

Oliveira, I., Curti, S.P., Figueiredo, C.A., et al. Genetic analysis of measles virus in Sao Paulo, Brazil. Virus Rev. Res. 1998;3:7-8.

Rota, J.S., Rota, P.A., Redd, S.B., Redd, S.C., Pattamadilok, S., and Bellini, W.J. Genetic analysis of measles viruses isolated in the United States, 1995-1996. J. Infect. Dis. 1998;177:204-208.

WHO. Standardization of the nomenclature for describing the genetic characteristics of wild-type measles viruses. Wkly. Epidemiol. Rec. 1998;73:265-272.

Xu, W.B., Tamin, A., Rota, J.S., LiBi, Z., Bellini, W.J., and Rota, P.A. New genetic group of measles virus isolated in the People's Republic of China. Virus Res. 1998;54:147-156.

#### *Publications 1997*

Heider, A., Santibanez, S., Tischer, A., Gerike, E., Tikhonova, N., Ignat'yev, G., Enders, G., Mrazova, M., and Schreier, E. Comparative investigation of the long non-coding M-F genome region of wild-type and vaccine measles viruses. Arch. Virol. 1997;142:2521-2528.

Jin, L., Brown, D.W.G., Ramsay, M.E.B., Rota, P.A. and Bellini, W.J. The diversity of measles virus in the UK, 1992-1995. J. Gen. Virol. 1997;78:1287-1294.

Katayama, Y., Shibahara, K., Kohama, T., Homma, M. and Hotta, H. Molecular epidemiology and changing distribution of genotypes of measles virus field isolates in Japan. J. Clin. Microbiol. 1997;35:2651-2653.

Kreis, S., and Whistler, T. Rapid identification of measles virus strains by the heteroduplex mobility assay. Virus Res. 1997;47:197-203.

Kreis, S., Vardas, E., and Whistler, T. Sequence analysis of the nucleocapsid gene of measles virus isolates from South Africa identifies a new genotype. J. Gen. Virol. 1997;78:1581-1587.

Outlaw, M.C., Jaye, A., Whittle, H., and Pringle, C. Clustering of hemagglutinin sequences of measles viruses isolated in the Gambia. Virus Res. 1997;48:125-131.

Rima, B.K., Earle, J.A.P., Bacsko, K., ter Meulen, V., Liebert, U., Carstens, C., Carabana, J., Cabellero, M., Celma, M., and Fernandez-Muñoz, R. Sequence divergence of measles virus hemagglutinin during natural evolution and adaptation to cell culture. J. Gen. Virol. 1997;78:97-106.

Yamaguchi, S. Identification of three lineages of wild measles virus by nucleotide sequence analysis of N, P, M, F, and L genes in Japan. J. Med. Virol. 1997;52:113-120.

#### *Publications 1996*

Rota, J.S., Heath, J.L., Rota, P.A., King, G.E., Celma, M.L., Carabana, J., Fernandez-Muñoz, R., Brown, D., Jin, L., and Bellini, W.J. Molecular epidemiology of measles virus: Identification of pathways of transmission and the implications for measles elimination. *J. Infect. Dis.* 1996;173:32-37.

#### *Publications 1995*

Kobune, F., et al. Characterization of measles viruses isolated after measles vaccination. *Vaccine* 1995;13:370-372.

Nakayama, T., Mori, T., Yamaguchi, S., et al. Detection of measles virus genome directly from clinical samples by reverse transcriptase-polymerase chain reaction and genetic variability. *Virus Res.* 1995;35:1-16.

Outlaw, M.C., and Pringle, C.R. Sequence variation within an outbreak of measles virus in the Coventry area during spring/summer 1993. *Virus Res.* 1995;39:3-11.

Rima, B.K., Earle, J.A.P., Yeo, R.P., Herlihy, L., Bacsko, K., ter Meulen, V., Carabana, J., Caballero, M., Celma, M.L., and Fernandez-Munoz, R. Temporal and geographical distribution of measles virus genotypes. *J. Gen. Virol.* 1995;76:1173-1180.

Rima, B., Earle, J.A.P., Bacsko, K., Rota, P.A., and Bellini, W.J. Measles virus strain variations. *Curr. Topics Microbiol. Immunol.* 1995;191:65-84.

Rota, P.A., Rota, J.S., and Bellini, W.J. Molecular epidemiology of measles virus. *Semin. Virol.* 1995;6:379-386.

Saito, H., Nakagomi, O. and Morita, M. Molecular identification of two distinct hemagglutinin types of measles virus by polymerase chain reaction and restriction fragment length polymorphism (PCR-RFLP). *Molecular and Cellular Probes* 1995;9:1-8.

#### *Publications 1991-1994*

Bacsko, K., Brinckmann, U., Pardowitz, I., Rima, B.K. and ter Meulen, V. Nucleotide sequence of the genes encoding the matrix protein of two wild-type measles virus strains. *J. Gen. Virol.* 1991;72:2279-2282.

Kobune, F., Sakata, H. and Sugiura, A. Marmoset lymphoblastoid cells as a sensitive host for isolation of measles virus. *J. Virol.* 1990;64:700-705.

Rota, J.S., Hummel, K.B., Rota, P.A., and Bellini, W.J. Genetic variability of the glycoprotein genes of current wild-type measles isolates. *Virology* 1992;188:135-142.

Rota, P.A., Bloom, A.E., Vanchiere, J.A., and Bellini, W.J. Evolution of the nucleoprotein and matrix genes of wild-type strains of measles viruses isolated from recent epidemics. *Virology* 1994;198:724-730.

Rota, J.S., Wang, Z.D., Rota, P.A., and Bellini, W.J. Comparison of sequences of the H, F and N coding genes of measles virus vaccine strains. *Virus Res.* 1994;31:317-330.

Sakata, H., Kobune, F., Sato, T.A., Tanabayashi, K., Yamada, A., and Sugiura, A. Variation in field isolates of measles virus during an 8-year period in Japan. *Microbiol. Immunol.* 1993;37:233-237.

Saito, H., Sato, H., Abe, M., et al. Isolation and characterization of the measles virus strains with low hemagglutination activity. *Intervirology* 1992;33:57-60.

Schulz, T.F., Hoad, J.G., Whitby, D., Tizard, E.J., Dillon, M.J., and Weiss, R.A. A measles virus from a child with Kawasaki disease: sequence comparison with contemporaneous isolates from classical cases. *J. Gen. Virol.* 1992;73:1581-1586.

Taylor, M.J., Godfrey, E., Bacsko, K., ter Meulen V., Wild, T.F., and Rima, B.K. Identification of several different lineages of measles virus. *J. Gen. Virol.* 1991;72:83-88.

Whitby, D., Hoad, J.G., Tizard, E.J., et al. Isolation of measles virus from child with Kawasaki disease. (Letter) *Lancet* 1991;338:1215.